

FORM PTO-1449/A and B (Modified)

INFORMATION DISCLOSURE
STATEMENT BE APPLICANT
APR 2 6 2001

Sheet 1 of 4

APPLICATION NO.: 09/765,111

ATTY. DOCKET NO.: B0801/7196

FILING DATE: January 18, 2001

APPLICANT: Jonathan A. Fletcher et al.

GROUP ART UNIT: Not yet assigned

EXAMINER: Not yet assigned

U.S. PATENT DOCUMENTS

Examiner's	Cite	U.S. Patent Doc	ument	Name of Patentee or Applicant of Cited	Date of Publication or of issue
Initials#	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYY
45	A1	4,444,779		Kawamatsu, et al.	04/24/84
	A2	5,686,596		Mukherjee	11/11/97
	A3	5,696,104		Demarchez, et al.	12/09/97
	A4	5,730,975		Hotamisligil, et al.	03/24/98
	A5	5,747,250		Gruss, et al.	05/05/98
	A6	5,814,647		Urban, et al.	09/29/98
	A7	5,861,274		Evans, et al.	01/19/99
	A8	5,902,726		Kliewer, et al.	05/11/99
	A9	5,925,657		Seed, et al.	07/20/99
64	A10	5,968,960		Schwartz	10/19/99

FOREIGN PATENT DOCUMENTS

Examiner's	Cite	Fore	eign Patent Docu	ment	Name of Patentee or Applicant of Cited	Date of Publication of	Translation
Initials#	No.	Office/ Country	Number	Kind Code	Document (not necessary)	Cited Document MM-DD-YYYY	(Y/N)
450	B1	WO	95/10271			04/20/95	
OP -	B2	WO	95/35108			12/28/95	
	B3	WO	96/33724			10/31/96	
	B4	WO	96/34943		<u></u>	11/07/96	
	B5	WO	97/17091			05/15/97	
46	В6	WO	98/25598			06/18/98	

OTHER ART -- NON PATENT LITERATURE DOCUMENTS

Examiner's	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the	Translation
Initials#	No	item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue	(Y/N)
		number(s), publisher, city and/or country where published.	
00	C1	POLEEV, Andrej et al, "Distinct functional properties of three human paired-box-protein, PAX8, isoforms	
<i>C</i> S		generated by alternative splicing in thyroid, kidney and Wilms' tumors," Eur. J. Biochem., 1995, Vol. 228,	
DΨ		pp. 899-911	
	C2	MAULBECKER, Catharina C. et al., "The oncogenic potential of Pax genes," The EMBO Journal, 1993, Vol.	
į.		12, No. 6, pp. 2361-2367	
	C3	MOTOJIMA K., "Peroxisome proliferator-activated receptor (PPAR): structure, mechanisms of activation and	
1		diverse functions," Cell Struct Funct., Oct. 1993, 18(5):267-77 - Abstract	
	C4	BOGAZZI, F. et al., "A novel heterodimerization partner for thyroid hormone receptor. Peroxisome	
		proliferator-activated receptor," J. Biol. Chem., April 22, 1994, 269(16):11683-6 - Abstract	
	C5	TELL, G. et al., "structural defects of a Pax8 mutant that give rise to congenital hypothyroidism," Biochem. J.,	
		July 1, 1999, 341 (Pt 1):89-93 – Abstract	
	C6	MACCHIA, P.E. et al., "PAX8 mutations associated with congenital hypothyroidism caused by thyroid	
1		dysgenesis," Nat. Genet., May 1998, 19(1):83-6 - Abstract	
	C7	DAMANTE, G., "Thyroid defects due to Pax8 gene mutations," Eur. J. Endocrinol., Dec. 1998, 139(6):563-6	
	C8	POLEEV, A. et al., "Distinct functional properties of three human paired-box-protein, PAX8, isoforms	
16		generated by alternative splicing in thyroid, kidney and Wilms' tumors," Eur. J. Biochem., March 15, 1995,	
40		228(3):899-911 Abstract	





`				
	the	C9	POLEEV, A. et al., "PAX8, a human paired box gene: isolation and expression in developing thyroid, kidney and Wilms' tumors," <i>Development</i> , Nov. 1992, 116(3):611-23 – Abstract	
	OINE	C10	PLACHOV, D. et al., "Pax8, a murine paired box gene expressed in he developing excretory system and thyroid	
	44	, C	gland," Development, Oct. 1990, 110(2):643-51 – Abstract	
1	APR A AS 200	, G)	KOZMIK, Z. et al., "Alternative splicing of Pax-8 gene transcripts is developmentally regulated and generates	
14	APR & & 200		isoforms with different transactivation properties," Mol. Cell Biol., Oct. 1993, 13(10):6024-35 - Abstract	
1	4 44	E 1/2	PERALDI, P. et al., "Thiazolidinediones block tumor necrosis factor-alpha-induced inhibition of insulin	
K	PRADEMAR	C13	signaling," J. Clin. Invest., Oct. 1, 1997, 100(7):1863-9 – Abstract DEVCHAND, P.R. et al., "Chemical probes that differentially modulate peroxisome proliferator-activated	
	MADEMA		receptor alpha and BLTR, nuclear and cell surface receptors for leukotriene B(4)," J. Biol. Chem., Aug. 13,	
	4550		1999, 274(33):23341-8 Abstract	
	1	C14	TONTONOZ, P. et al., "Terminal differentiation of human liposarcoma cells induced y ligands for peroxisome	
_			proliferator-activated receptor γ and the retinoid X receptor," <i>Medical Sciences</i> , Jan. 1997, Vol. 94, pp. 237-241	
	- 1	C15	KUBOTA, Tetsuya et al., "Ligand for Peroxisome Proliferator-activated Receptor γ (Troglitazone)	
			Has Potent Antitumor Effect against Human Prostate Cancer Both in Vitro and in Vivo," Cancer	
\vdash		C16	Research, August 1, 1998, Vol. 58, pp. 3344-3352	
H		C16	Editorial, "PPAR-the good news and the bad," <i>Nature Medicine</i> , Sept. 1998, Vol. 4, No. 9, pp. 981	
	1	CI	LEFEBVRE, Anne-Marie et al., "Activation of the peroxisome proliferator-activated receptor γ promotes the development of colon tumors in C57BL/6J-APC ^{min} /+mice," <i>Nature Medicine</i> , Sept.	
	[]		1998, Vol. 4, No. 9, pp. 1053-1057	
-		C18	SAEZ, Enrique et al., "Activators of the nuclear receptor PPARγ enhance colon polyp formation,"	
		210	Nature Medicine, Sept. 1998, Vol. 4, No. 9, pp. 1058-1061	
-		C19	MUELLER, Elisabetta et al., "Terminal Differentiation of Human Breast Cancer through PPARy,"	
		. = -	Molecular Cell, February 1998, Vol. 1, pp. 465-470	
		C20	SARRAF, Pasha et al., "Loss-of-Function Mutations in PPARy Associated with Human Colon	
			Cancer," Molecular Cell, June 1999, Vol. 3(6), pp. 799-804	
		C21	SARRAF, Pasha et al., "Differentiation and reversal of malignant changes in colon cancer through	
			PPARγ, September 1998, Vol. 4, No. 9, pp. 1046-1052	
		C22	ELSTNER, Elena et al., "Ligands for peroxisome proliferator-activated receptor γ and retinoic acid	
	l i		receptor inhibit growth and induce apoptosis of human breast cancer cells in vitro and in BNX mice."	
L			Proc. Natl. Acad. Sci. USA, July 1998, Vol. 95, pp. 8806-8811	
		C23	TONG-CHUAN, He et al., "PPARδ Is an APC-Regulated Target of Nonsteroidal Anti-Inflammatory	
		001	Drugs," Cell, October 29, 1999, Vol. 99, pp. 335-345	
]	C24	SEED, Brian, "PPARγ and colorectal carcinoma: conflicts in a nuclear family," <i>Nature Medicine</i> ,	
-		C25	September 1998, Vol. 4, No. 9, pp. 1004-1005	
	1	C23	KITAMURA, S. et al., "PPARgamma Inhibits the Expression of c-MET in Human Gastric Cancer Cells through the Suppression of Ets," <i>Biochem. Biophys. Res. Commun.</i> , November 19, 1999,	
			265(2):453-456 – Abstract	
\vdash		C26	HIRASE, N. et al., "Thiazolidinedione Induces Apoptosis and Monocytic Differentiation in the	
	1		Promyelocytic Leukemia Cell Line HL60," <i>Oncology</i> , October 1999, 57 Suppl. S2:17-26 – Abstract	
		C27	TAKAHASHI, N. et al., "Activation of PPARgamma inhibits cell growth and induces apoptosis in	
	1		human gastric cancer cells," FEBS Lett, July 16, 1999, 455(1-2):135-9 — Abstract	
		C28	YEE, L.D. et al., "Peroxisome proliferator-activated receptor gamma activation in human breast	
L			cancer," Int. J. Oncol., November 1999, 15(5):967-73 – Abstract	
		C29	ASOU, H. et al., "Growth inhibition of myeloid leukemia cells by troglitazone, a ligand for	
			peroxisome proliferator activated receptor gamma, and retinoids," <i>Int. J. Oncol.</i> , November 1999,	
-		C20	15(5):1027-31 - Abstract	
		C30	KUBOTA, T. et al., "Ligand for peroxisome proliferator-activated receptor gamma (troglitazone) has potent antitumor effect against human prostate cancer both in vitro and in vivo," <i>Cancer Res.</i> , August	
			1, 1998, 58(15):3344-52 - Abstract	
-		C31	ELSTNER, E. et al., "Ligands for peroxisome proliferator-activated receptorgamma and retinoic acid	
			receptor inhibit growth and induce apoptosis of human breast cancer cells in vitro and in BNX mice,"	
			Proc. Natl. Acad. Sci. USA, July 21, 1998, 95(15):8806-11 - Abstract	
		C32	LEFEBVRE, A.M. et al., "Activation of the peroxisome proliferator-activated receptor gamma	
			promotes the development of colon tumors in C57BL/6J-APCMin/+mice," Nat. Med., September	
L			1998, 4(9):1053-7 – Abstract	
	_ 	C33	SAEZ, E. et al., "Activators of the nuclear receptor PPARgamma enhance colon polyp formation,"	
_	1=	061	Nat. Med., September 1998, 4(9):1058-61 – Abstract	
L	88	C34	MANSEN, A. et al., "Expression of the peroxisome proliferator-activated receptor (PPAR) in the	
	- 0			





`.⊢			No. 24 1006 200(2) 944 51	
L			mouse colonic mucosa," Biochem. Biophys. Res. Commun., May 24, 1996, 222(3):844-51 - Abstract	
سا		C35	BROCKMAN, J.A. et al., "Activation of PPARgamma leads to inhibition of anchorage-independent	
10	1 PG		growth of human colorectal cancer cells, Gastroenterology, November 1999, 115(5):1049-55	
	3	C36	DuBOISE, R.N. et al., "The nuclear eicosanoid receptor, PPARgamma, is aberrantly expressed in	
	89 3	<u> </u>	colonic cancers," Carcinogenesis, January 1998, 19(1):49-53 – Abstract	
AP	R 2 6 2001	C37	FUJIMURA, S. et al., "Effects of troglitazone on the growth and differentiation of hematopoietic cell	
	14 5	\$/·	lines," Int. J. Oncol., December 1998, 13(6):1263-7 – Abstract	
3	0' &	C38	KITAMURA, S. et al., "Peroxisome proliferator-activated receptor gamma induces growth arrest and	
%	~ / 6 M	030		
~	TRADE		differentiation markers of human colon cancer cells," <i>Jpn. J. Cancer Res.</i> , January 1999, 90(1):75-80	
-	00	C39	- Abstract	
	_	L39	DEMETRI, G.D. et al., "Induction of solid tumor differentiation by the peroxisome proliferator-	
			activated receptor-gamma ligand troglitazone in patients with liposarcoma," <i>Proc. Natl. Acad. Sci.</i>	ŀ
	0,0		USA, March 30, 1999, 96(7):3951-6 – Abstract	
	1	C40	SARRAF, P. et al., "Differentiation and reversal of malignant changes in colon cancer through	
	- 1		PPARgamma," Nat. Med., September 1998, 4(9):1046-52 - Abstract	
		C41	RICOTE, M. et al., "The peroxisome proliferator-activated receptor-gamma is a negative regulator of	
	- 1		macrophage activation," <i>Nature</i> , January 1998, 391(6662):79-82 – Abstract	
	1	C42	SU, C.G. et al., "A novel therapy for colitis utilizing PPAR-gamma ligands to inhibit the epithelial	
	- 1		inflammatory response," J. Clin. Invest., August 1999, 104(4):383-9 – Abstract	
\vdash		C43	IIJIMA, K. et al., "Expression of peroxisome proliferator-activated receptor gamma (PPARgamma)	
		043	in rat aortic smooth muscle cells," <i>Biochem. Biophys. Res. Commun.</i> , June 18, 1998, 247(2):353-6 –	
	1			
		CAA	Abstract FORMAN P.M. et al. "15 Decays delta 12, 14 prostaglos din 12 is a ligand for the edinger to	
	1	C44	FORMAN, B.M. et al., "15-Deoxy-delta 12, 14-prostaglandin J2 is a ligand for the adipocyte	
-		0.45	determination factor PPAR gamma," Cell, December 1, 1995, 83(5):803-12 - Abstract	
	1	C45	SCHULMAN, I.G. et al., "Transactivation by retinoid X receptor-peroxisome proliferator-activated	
	l		receptor gamma (PPARgamma) heterodimers: intermolecular synergy requires only the PPARgamma	
			hormone-dependent activation function," Mol. Cell Biol., June 1998, 18(6):3483-94 – Abstract	
		C46	SPIEGELMAN, B.M. et al., "PPAR gamma and the control of adipogenesis," <i>Biochimie</i> , Feb-March	
	- 1		1997, 79(2-3):111-2 – Abstract	
		C47	FREAKE, H.C., "A genetic mutation in PPAR gamma is associated with enhanced fat cell	
	1		differentiation: implications for human obesity," Nutr. Rev., May 1999, 57(5 Pt 1):154-6 – Abstract	
t	1	C48	GORLA-BAJSZCZAK, A. et al., "Conserved amino acids in the ligand-binding and tau(i) domains	
			of the peroxisome proliferator-activated receptor alpha are necessary for heterodimerization with	
İ	1		RXR," Mol. Cell Endocrinol., January 25, 1999, 147(1-2):37-47 – Abstract	
	 	C49	ROBINSON, C.E. et al., "DNA bending is induced by binding of the peroxisome proliferator-	
	1	(4)	activated receptor gamma 2 heterodimer to its response element in the urine lipoprotein lipase	
	1			,
		CEO	promoter," Biochem. Biophys. Res. Commun., March 27, 1998, 244(3):671-7 - Abstract	
	1	C50	OBERFIELD, J.L. et al., "A peroxisome proliferator-activated receptor gamma ligand inhibits	
		~~~	adipocyte differentiation," Proc. Natl. Acad. Sci. USA, May 25, 1999, 96(11):6102-6 - Abstract	
		C51	PALMER, C.N. et al., "Peroxisome proliferator activated receptor-alpha expression in human liver,"	
			Mol. Pharmacol., January 1998, 53(1):14-22 – Abstract	
		C52	GRINDFLEK, E. et al., "Characterisation of porcine peroxisome proliferator-activated receptors	
			gamma 1 and gamma 2: detection of breed and age differences in gene expression," Biochem.	
			Biophys. Res. Commun., August 28, 1998, 249(3):713-8 - Abstract	
		C53	SUNDVOLD, H. et al., "Characterisation of bovine peroxisome proliferator-activated receptors	
	1		gamma 1 and gamma 2: genetic mapping and differential expression of the two isoforms," <i>Biochem</i> .	
	1		Biophys. Res. Commun., October 29, 1997, 239(3):857-61 - Abstract	
		C54	BRAISSANT, O. et al., "Differential expression of peroxisome proliferator-activated receptors	
	1		(PPARs): tissue distribution of PPAR-alpha, -beta, and -gamma in the adult rat," <i>Endocrinology</i> ,	
	ì		January 1996, 137(1):354-66 – Abstract	
-		C55	ELBRECHT, A. et al., "Molecular cloning, expression and characterization of human peroxisome	
	1			
	1		proliferator activated receptors gamma 1 and gamma 2," Biochem. Biophys. Res. Commun., July 16,	
		055	1996, 224(2):431-7 – Abstract	
	1	C56	WERMAN, A. et al., "Ligand-independent activation domain in the N terminus of peroxisome	
	\		proliferator-activated receptor gamma (PPARgamma). Differential activity of PPARgamma1 and -2	
			isoforms and influence of insulin," J. Biol. Chem., August 8, 1997, 272(32):20230-5 - Abstract	
		C57	WESTIN, S. et al., "Interactions controlling the assembly of nuclear-receptor heterodimers and co-	
	1		activators," <i>Nature</i> , September 10, 1998, 395(6698):199-202 – <b>Abstract</b>	
	48	C58	LEHMANN, J.M. et al., "An antidiabetic thiazolidinedione is a high affinity ligand for peroxisome	
L				





·			
· ·		proliferator-activated receptor gamma (PPAR gamma)," J. Biol. Chem., June 2, 1995,	
		270(22):12953-6 – Abstract	
OFE	C59	KLIEWER, S.A. et al., "Differential expression and activation of a family of murine peroxisome	
/ 48	6	proliferator-activated receptors," Proc. Natl. Acad. Sci. USA, July 19, 1994, 91(15):7355-9 - Abstract	
APR 2 6 20	<b>2</b> 40	DiRENZO, J. et al., "Peroxisome proliferator-activated receptors and retinoic acid receptors	
a nin / 0 20		differentially control the interactions of retinoid X receptor heterodimers with ligands, coactivators,	
3 78	<u> </u>	and corepressors," Mol. Cell Biol., April 1997, 17(4):2166-76 – Abstract	
W.	<b>O</b> C61	MIZUKAMI, J. et al., "The antidiabetic agent thiazolidinedione stimulates the interaction between	
PROEMA	*	PPAR gamma and CBP," Biochem. Biophys. Res. Commun., November 7, 1997, 240(1):61-4 –	
79		Abstract	
	C62	HSU, M.H. et al., "A carboxyl-terminal extension of the zinc finger domain contributes to the	
		specificity and polarity of peroxisome proliferator-activated receptor DNA binding," J. Biol. Chem.,	
4		October 23, 1998, 273(43):27988-97 – Abstract	
00	C63	GELMAN, L. et al., "p300 interacts with the N- and C-terminal part of PPARgamma2 in a ligand-	
1 1		independent and -dependent manner, respectively," J. Biol. Chem., March 19, 1999, 274(12):7681-8	
1 1		- Abstract	
	C64	WILSON, T.M. et al., "Peroxisome proliferator-activated receptor agonists," Curr. Opin. Chem.	
		Biol., August 1997, 1(2):235-41 – Abstract	
	C65	DOWELL, P. et al., "Identification of nuclear receptor corepressor as a peroxisome proliferator-	
		activated receptor alpha interacting protein," J. Biol. Chem., May 28, 1999, 274(22):15901-7 –	
		Abstract	Ì
	C66	AUWERX, J. et al., "Regulation of triglyceride metabolism by PPARs: fibrates and	
		thiazolidinediones have distinct effects," J. Atheroscler. Thromb., 1996, 3(2):81-9 – Abstract	
	C67	BERGER, J. et al., "Novel peroxisome proliferator-activated receptor (PPAR) gamma and	
		PPARdelta ligands produce distinct biological effects," J. Biol. Chem., March 5, 1999, 274(10):6718-	
		25 – Abstract	
	C68	WILLSON, T.M. et al., "Discovery of ligands for the nuclear peroxisome proliferator-activated	
		receptors," Ann. N.Y. Acad. Sci., December 27, 1996, 804:276-83 - Abstract	ľ
	C69	SPIEGELMAN, B.M., "PPAR-gamma: adipogenic regulator and thiazolidinedione receptor,"	
		Diabetes, April 1998, 47(4):507-14 – Abstract	
	C70	SPENCER, C.M. et al., "Troglitazone," Drugs, July 1997, 54(1):89-101, discussion 102 – Abstract	
	C71	SHAO, D. et al., "Interdomain communication regulating ligand binding by PPAR-gamma," <i>Nature</i> ,	
		November 26, 1998, 396(6709):377-80 – Abstract	
	C72	NOLTE, R.T. et al., "Ligand binding and co-activator assembly of the peroxisome proliferator-	
		activated receptor-gamma," <i>Nature</i> , September 10, 1998, 395(6698):137-43 – Abstract	
<u>-</u>	C73	SCHOONJANS, K. et al., "Peroxisome proliferator-activated receptors, orphans with ligands and	
1 1		functions," Curr. Opin. Lipidol., June 1997, 8(3):159-66 – Abstract	
	C74	LIN, Q. et al., "Ligand selectivity of the peroxisome proliferator-activated receptor alpha,"	
5/4		Biochemistry, January 5, 1999, 38(1):185-90 - Abstract	
		- Table Het	<u> </u>

LIN, Q. et al., "Ligand selectivity of the perox Biochemistry, January 5, 1999, 38(1):185-90	
EXAMINER Cally Cali	DATE CONSIDERED
#EXAMINER: Initial if reference considered, whether or not citation is in conformance include copy of this form with next communication to applicant.	e with MPEP 609; Draw line through citation if not in conformance and not considered.
*a copy of this reference is not provided as it was previously cited by or submitted to the relied upon for an earlier filing date under 35 U.S.C. 120 (continuation, continuation-in	
[NOTE - Must provide a copy of any patent, publication, other information listed earlier application, unless the earlier application is identified by the IDS and is rel in the earlier application.]	, even if it was previously submitted to, or cited by, the U.S. Patent Office in an ied upon for an earlier filing date under 35 U.S.C. §120, and the copy was provided

RECEIVE
0801/7196-B U 4 200
TECH CENTER 1600/2
igned
igne

### U.S. PATENT DOCUMENTS

F	Examiner's	Cite	U.S. Patent Docu	ment	Name of Patentee or Applicant of Cited	Date of Publication or of issue
ι κ	nitials#	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYY

#### FOREIGN PATENT DOCUMENTS

	G:	Fore	eign Patent Docu	ment	Name of Patentee or Applicant of Cited	Date of Publication of	
Examiner's Initials#	Cite No.	Office/ Country	Number	Kind Code	Document (not necessary)	Cited Document MM-DD- YYYY	Translation (Y/N)

### OTHER ART - NON PATENT LITERATURE DOCUMENTS

Examiner's Initials#	Cite No	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	Translation (Y/N)
48	C75	KROLL, T.G., et al, "PAX8-PPARγ1 fusion oncogen in human thyroid carcinoma," Science, 2000, Vol. 289, No. 5483, pp. 1357-1360	
88	C76	MUELLER, E., et al, "Effects of ligand activation of peroxisome proliferator-activated receptor-γ in human prostate cancer," Proceedings of the National Academy of Sciences USA, 2000, Vol. 97, No. 20, pp. 10990-10995	
89	C77	SIDRANSKY, D. "Nucleic acid-based methods for the detection of cancer," Science, 1997, Vol. 278, pp. 1054-1058	

|--|

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filing date under 35 U.S.C. §120, and the copy was provided in the earlier application.]